

CHILD 1	+ H. pylori
	+ Giardia
	+ Cryptosporidium
CHILD 2	+ Rotavirus
	+ Cryptosporidium
	+ H. pylori
	+ Giardia

FIG. 1

PATIENT	H.pylori	Cryptosporidium	E.histolytica	Giardia	Rota/virus	Camphylobacter	C. difficile
Parkinson 1	+	+	+	+	+	+	+
Parkinson 2	+	+	+	+		+	+
Parkinson 3	+			+	+	+	
Parkinson 4		+					
Parkinson 5	+	+			+		
Parkinson 6	+						+
Parkinson 7	+		+	+			
Parkinson 8	+	+	+	+		+	
Parkinson 9		+		+	+	+	+
Parkinson 10	+	+			+		+
Parkinson 11	+				+		+
Parkinson 12	+			+	+		
Parkinson 13		+	+	+		+	
Parkinson 14	+	+		+		+	+
Parkinson 15	+	+			+	+	
Non-P 1							
Non-P 2							
Non-P 3							
Non-P 4							
Non-P 5							
Non-P 6				+			
Non-P 7							
Non-P 8							
Non-P 9							
Non-P 10							
Non-P 11							
Non-P 12	+						
Non-P 13							
Non-P 14							
Non-P 15							

FIG. 2

PATIENT	Age	H.pylori	Cryptosporidium	E.histolytica	Giardia	Rotavirus	Camphylobacter	C.difficile
ADD 1	10	+		+	+	+		+
ADD 2	6	+	+					+
ADHD 3	9			+		+	+	
ADHD 4	6		+	+	+		+	
ADD 5	9	+	+	+	+	+	+	+
ADD 6	11		+				+	
ADD 7	14	+				+		
ADHD 8	4	+	+	+				
ADD 9	16		+	+	+	+	+	
ADHD 10	12		+	+				+
ADD 11	11	+				+	+	
ADD 12	7		+		+	+		+
ADD 13	9	+	+	+	+		+	
Non-ADD 1	10							
Non-ADD 2	6			+				
Non-ADD 3	9							
Non-ADD 4	6							
Non-ADD 5	9							
Non-ADD 6	11		+				+	
Non-ADD 7	14							
Non-ADD 8	4							
Non-ADD 9	16							
Non-ADD 10	12							
Non-ADD 11	11	+						
Non-ADD 12	7							
Non-ADD 13	9							
Non-ADD 14	9							

FIG. 3

Patient	Giardia	Cryptosporidium	E.Histolytica	Adenovirus	Rotavirus	H.Pylori	Cyclospora	Mycrosporidia	Isospora/Bell
Autistic 1	+					+			+
Autistic 2		+				+			
Autistic 3	+								
Autistic 4				+		+			
Autistic 5	+								
Autistic 6		+							
Autistic 7	+				+	+			
NonAutistic1									
NonAutistic2									
NonAutistic3									
NonAutistic4									
NonAutistic5									
NonAutistic6									
NonAutistic7									

FIG. 4